

Part IA — Differential Equations

Theorems

Based on lectures by M. G. Worster

Notes taken by Dexter Chua

Michaelmas 2014

These notes are not endorsed by the lecturers, and I have modified them (often significantly) after lectures. They are nowhere near accurate representations of what was actually lectured, and in particular, all errors are almost surely mine.

Basic calculus

Informal treatment of differentiation as a limit, the chain rule, Leibnitz's rule, Taylor series, informal treatment of O and o notation and l'Hôpital's rule; integration as an area, fundamental theorem of calculus, integration by substitution and parts. [3]

Informal treatment of partial derivatives, geometrical interpretation, statement (only) of symmetry of mixed partial derivatives, chain rule, implicit differentiation. Informal treatment of differentials, including exact differentials. Differentiation of an integral with respect to a parameter. [2]

First-order linear differential equations

Equations with constant coefficients: exponential growth, comparison with discrete equations, series solution; modelling examples including radioactive decay.

Equations with non-constant coefficients: solution by integrating factor. [2]

Nonlinear first-order equations

Separable equations. Exact equations. Sketching solution trajectories. Equilibrium solutions, stability by perturbation; examples, including logistic equation and chemical kinetics. Discrete equations: equilibrium solutions, stability; examples including the logistic map. [4]

Higher-order linear differential equations

Complementary function and particular integral, linear independence, Wronskian (for second-order equations), Abel's theorem. Equations with constant coefficients and examples including radioactive sequences, comparison in simple cases with difference equations, reduction of order, resonance, transients, damping. Homogeneous equations. Response to step and impulse function inputs; introduction to the notions of the Heaviside step-function and the Dirac delta-function. Series solutions including statement only of the need for the logarithmic solution. [8]

Multivariate functions: applications

Directional derivatives and the gradient vector. Statement of Taylor series for functions on \mathbb{R}^n . Local extrema of real functions, classification using the Hessian matrix. Coupled first order systems: equivalence to single higher order equations; solution by matrix methods. Non-degenerate phase portraits local to equilibrium points; stability.

Simple examples of first- and second-order partial differential equations, solution of the wave equation in the form $f(x + ct) + g(x - ct)$. [5]

Contents

0	Introduction	5
1	Differentiation	6
1.1	Differentiation	6
1.2	Small o and big O notations	6
1.3	Methods of differentiation	6
1.4	Taylor's theorem	6
1.5	L'Hopital's rule	6
2	Integration	7
2.1	Integration	7
2.2	Methods of integration	7
3	Partial differentiation	8
3.1	Partial differentiation	8
3.2	Chain rule	8
3.3	Implicit differentiation	8
3.4	Differentiation of an integral wrt parameter in the integrand	8
4	First-order differential equations	9
4.1	The exponential function	9
4.2	Homogeneous linear ordinary differential equations	9
4.3	Forced (inhomogeneous) equations	9
4.3.1	Constant forcing	9
4.3.2	Eigenfunction forcing	9
4.4	Non-constant coefficients	9
4.5	Non-linear equations	9
4.5.1	Separable equations	9
4.5.2	Exact equations	9
4.6	Solution curves (trajectories)	9
4.7	Fixed (equilibrium) points and stability	9
4.7.1	Perturbation analysis	9
4.7.2	Autonomous systems	9
4.7.3	Logistic Equation	9
4.8	Discrete equations (Difference equations)	9
5	Second-order differential equations	10
5.1	Constant coefficients	10
5.1.1	Complementary functions	10
5.1.2	Second complementary function	10
5.1.3	Phase space	10
5.2	Particular integrals	10
5.2.1	Guessing	10
5.2.2	Resonance	10
5.2.3	Variation of parameters	10
5.3	Linear equidimensional equations	10
5.4	Difference equations	10
5.5	Transients and damping	10

5.6	Impulses and point forces	10
5.6.1	Dirac delta function	10
5.7	Heaviside step function	10
6	Series solutions	11
7	Directional derivative	12
7.1	Gradient vector	12
7.2	Stationary points	12
7.3	Taylor series for multi-variable functions	12
7.4	Classification of stationary points	12
7.5	Contours of $f(x, y)$	12
8	Systems of differential equations	13
8.1	Linear equations	13
8.2	Nonlinear dynamical systems	13
9	Partial differential equations (PDEs)	14
9.1	First-order wave equation	14
9.2	Second-order wave equation	14
9.3	The diffusion equation	14

0 Introduction

1 Differentiation

1.1 Differentiation

1.2 Small o and big O notations

Proposition.

$$f(x_0 + h) = f(x_0) + f'(x_0)h + o(h)$$

1.3 Methods of differentiation

Theorem (Chain rule). Given $f(x) = F(g(x))$, then

$$\frac{df}{dx} = \frac{dF}{dg} \frac{dg}{dx}.$$

Theorem (Product Rule). Give $f(x) = u(x)v(x)$. Then

$$f'(x) = u'(x)v(x) + u(x)v'(x).$$

Theorem (Leibniz's Rule). Given $f = uv$, then

$$f^{(n)}(x) = \sum_{r=0}^n \binom{n}{r} u^{(r)} v^{(n-r)},$$

where $f^{(n)}$ is the n -th derivative of f .

1.4 Taylor's theorem

Theorem (Taylor's Theorem). For n -times differentiable f , we have

$$f(x+h) = f(x) + hf'(x) + \frac{h^2}{2!}f''(x) + \cdots + \frac{h^n}{n!}f^{(n)}(x) + E_n,$$

where $E_n = o(h^n)$ as $h \rightarrow 0$. If $f^{(n+1)}$ exists, then $E_n = O(h^{n+1})$.

1.5 L'Hopital's rule

Theorem (L'Hopital's Rule). Let $f(x)$ and $g(x)$ be differentiable at x_0 , and $\lim_{x \rightarrow x_0} f(x) = \lim_{x \rightarrow x_0} g(x) = 0$. Then

$$\lim_{x \rightarrow x_0} \frac{f(x)}{g(x)} = \lim_{x \rightarrow x_0} \frac{f'(x)}{g'(x)}.$$

2 Integration

2.1 Integration

Theorem (Fundamental Theorem of Calculus). Let $F(x) = \int_a^x f(t) dt$. Then $F'(x) = f(x)$.

2.2 Methods of integration

Theorem (Integration by parts).

$$\int uv' dx = uv - \int vu' dx.$$

3 Partial differentiation

3.1 Partial differentiation

Theorem. If f has continuous second partial derivatives, then $f_{xy} = f_{yx}$.

3.2 Chain rule

Theorem (Chain rule for partial derivatives).

$$df = \frac{\partial f}{\partial x} dx + \frac{\partial f}{\partial y} dy.$$

Given this form, we can integrate the differentials to obtain the integral form:

$$\int df = \int \frac{\partial f}{\partial x} dx + \int \frac{\partial f}{\partial y} dy,$$

or divide by another small quantity. e.g. to find the slope along the path $(x(t), y(t))$, we can divide by dt to obtain

$$\frac{df}{dt} = \frac{\partial f}{\partial x} \frac{dx}{dt} + \frac{\partial f}{\partial y} \frac{dy}{dt}.$$

3.3 Implicit differentiation

Theorem (Multi-variable implicit differentiation). Given an equation

$$F(x, y, z) = c$$

for some constant c , we have

$$\left. \frac{\partial z}{\partial x} \right|_y = - \frac{(\partial F)/(\partial x)}{(\partial F)/(\partial z)}$$

3.4 Differentiation of an integral wrt parameter in the integrand

Theorem (Differentiation under the integral sign).

$$\frac{d}{dx} \int_0^{b(x)} f(y, c(x)) dy = f(b, c)b'(x) + c'(x) \int_0^b \frac{\partial f}{\partial c} dy$$

4 First-order differential equations

4.1 The exponential function

4.2 Homogeneous linear ordinary differential equations

Theorem. Any linear, homogeneous, ordinary differential equation with constant coefficients has solutions of the form e^{mx} .

4.3 Forced (inhomogeneous) equations

4.3.1 Constant forcing

4.3.2 Eigenfunction forcing

4.4 Non-constant coefficients

4.5 Non-linear equations

4.5.1 Separable equations

4.5.2 Exact equations

Theorem. If $\frac{\partial P}{\partial y} = \frac{\partial Q}{\partial x}$ through a simply-connected domain \mathcal{D} , then $P dx + Q dy$ is an exact differential of a single-valued function in \mathcal{D} .

4.6 Solution curves (trajectories)

4.7 Fixed (equilibrium) points and stability

4.7.1 Perturbation analysis

4.7.2 Autonomous systems

4.7.3 Logistic Equation

4.8 Discrete equations (Difference equations)

5 Second-order differential equations

5.1 Constant coefficients

5.1.1 Complementary functions

5.1.2 Second complementary function

5.1.3 Phase space

Theorem (Abel's Theorem). Given an equation $y'' + p(x)y' + q(x)y = 0$, either $W = 0$ for all x , or $W \neq 0$ for all x . i.e. iff two solutions are independent for some particular x , then they are independent for all x .

5.2 Particular integrals

5.2.1 Guessing

5.2.2 Resonance

5.2.3 Variation of parameters

5.3 Linear equidimensional equations

5.4 Difference equations

5.5 Transients and damping

5.6 Impulses and point forces

5.6.1 Dirac delta function

5.7 Heaviside step function

6 Series solutions

7 Directional derivative

7.1 Gradient vector

7.2 Stationary points

7.3 Taylor series for multi-variable functions

7.4 Classification of stationary points

Proposition. H is positive definite if and only if the signature is $+, +, \dots, +$.
 H is negative definite if and only if the signature is $-, +, \dots, (-1)^n$. Otherwise,
 H is indefinite.

7.5 Contours of $f(x, y)$

8 Systems of differential equations

8.1 Linear equations

8.2 Nonlinear dynamical systems

9 Partial differential equations (PDEs)

9.1 First-order wave equation

9.2 Second-order wave equation

9.3 The diffusion equation